

Version 1.1	SDS Number: 400000000481	Revision Date: 02/14/2020
SECTION 1. IDENTIFICATION		
Product name	: PURELL® Hand Sanitizing Wipes	

	· · · · · · · · · · · · · · · · · · ·	
Manufacturer or supplier's	details	NYSID #: D4065-0000-270
Company name of supplier Address	 GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio 44311 	Marketed by: Liberty Enterprises 43 Liberty Drive Amsterdam, NY 12010
Telephone	: 1 (330) 255-6000	www.LibertyCleanProducts.com (518)-954-3002
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887: Outs	side USA & CANADA

Recommended use of the chemical and restrictions on use

exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.	Recommended use Restrictions on use	:	While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information
--	--	---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Eye irritation	: Category 2A
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H319 Causes serious eye irritation.
Precautionary statements	 Prevention: P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/



Version 1.1

SDS Number: 40000000481

Revision Date: 02/14/2020

attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Benzalkonium Chloride	68391-01-5	>= 0.1 - < 0.25

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	 First Aid responders should pay attention to self-protection and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemica carbon dioxide.	al or
Unsuitable extinguishing media	None known.	
Specific hazards during firefighting	Exposure to decomposition products may be a haza health. No hazardous combustion products are known	rd to
Hazardous combustion products	No hazardous combustion products are known	
Specific extinguishing methods	Use extinguishing measures that are appropriate to l circumstances and the surrounding environment. Use water spray to cool unopened containers.	ocal
Further information	Collect contaminated fire extinguishing water separa must not be discharged into drains. Fire residues and contaminated fire extinguishing wa	•



Version 1.1	SDS Number: 40000000481	Revision Date: 02/14/2020
Special protective equipment for firefighters	be disposed of in accordance was a construct of fire, wear self-construction between the self-construction of the self-co	ontained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Do not swallow. Avoid contact with eyes. Keep container closed when not in use.
Conditions for safe storage	 Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal p	protective	equipment
------------	------------	-----------

Respiratory protection	: No personal respiratory protective equipment normally required.
Eye protection	 No special measures necessary provided product is used correctly. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: No special measures necessary provided product is used correctly.
Protective measures	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to



Version 1.1	SDS Number: 40000000481	Revision Date: 02/14/2020
Hygiene measures	 the specific work-place. Ensure that eye flushing system located close to the working plate Handle in accordance with goo practice. Avoid contact with eyes. 	ace.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	 sheets clear, cloudy, colourless, light yellow citrus No data available 	
рН	: 5.5 - 8.5, (20 °C)	
Melting point/freezing point Boiling point/boiling range		
Flash point	: > 100.00 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	:	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.9986 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is not classified self-reactive.	
Viscosity Viscosity, kinematic	: 75 mm2/s (25 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	

SECTION 10. STABILITY AND REACTIVITY



Version 1.1SDS Number: 40000000481Revision Date: 02/14/2020Reactivity
Chemical stability
Incompatible materials
Hazardous decomposition
products: Not classified as a reactivity hazard.
: Stable under normal conditions.
: Oxidizing agents
: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Components:

Benzalkonium Chloride: Acute oral toxicity	: LD50 (Rat): 850 mg/kg
Acute dermal toxicity	: LD50 (Rat): 2,300 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzalkonium Chloride: Species: Rabbit Result: Corrosive after 3 minutes to 1 hour of exposure Remarks: Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result: Irritating to eyes.

Components:

Benzalkonium Chloride:

Species: Rabbit Result: Irreversible effects on the eye Remarks: Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Benzalkonium Chloride:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig



RELL® Hand Sanit		
rsion 1.1	SDS Number: 400000000481	Revision Date: 02/14/2020
Method: OECD Test Guideli Result: negative Remarks: Based on data fro		
Germ cell mutagenicity Not classified based on avai	lable information.	
Components: Benzalkonium Chloride: Genotoxicity in vitro	: Test Type: Bacterial reverse mu Method: OECD Test Guideline 4 Result: negative Remarks: Based on data from s	471
Genotoxicity in vivo	: Test Type: Mammalian erythroc cytogenetic assay) Test species: Mouse Application Route: Ingestion Method: OECD Test Guideline 4 Result: negative Remarks: Based on data from s	474
Carcinogenicity Not classified based on avai	lable information.	
IARC	No component of this product pres equal to 0.1% is identified as proba human carcinogen by IARC.	
OSHA	No component of this product pres equal to 0.1% is identified as a car carcinogen by OSHA.	
NTP	No component of this product pres equal to 0.1% is identified as a kno by NTP.	
Reproductive toxicity Not classified based on avai	lable information.	
Components:		
Benzalkonium Chloride: Effects on fertility	: Test Type: Two-generation repr Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from s	

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion
		Result: negative Remarks: Based on data from similar materials



Version 1.1

SDS Number: 40000000481

Revision Date: 02/14/2020

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Benzalkonium Chloride: Species: Mouse NOAEL: 192 mg/kg Application Route: Ingestion Exposure time: 94 d Remarks: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u>		
Benzalkonium Chloride: Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.515 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.016 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
Toxicity to algae	:	ErC50 (Selenastrum capricornutum (green algae)): 0.049 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC10 (Selenastrum capricornutum (green algae)): 0.009 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.0322 mg/l Exposure time: 34 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0125 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials



ersion 1.1	SDS Number: 400000000481	Revision Date: 02/14/2020
M-Factor (Chronic aquatic toxicity)	: 1	
Persistence and degradabi	lity	
Components:		
Benzalkonium Chloride: Biodegradability	: Result: Readily biodegradable. Biodegradation: 72 % Exposure time: 28 d	
Bioaccumulative potential		
Components:		
Benzalkonium Chloride: Partition coefficient: n- octanol/water	: log Pow: 2.75 Remarks: Based on data from s	similar materials
Mobility in soil		
No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, n Class I or Class II ODS as defin Section 602 (40 CFR 82, Subpt	ned by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good **National Regulations**

49 CFR

Not regulated as a dangerous good



Version 1.1

SDS Number: 40000000481

Revision Date: 02/14/2020

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Acute Healt	h Hazard
SARA 302		Is in this material are subject to the reporting ts of SARA Title III, Section 302.
SARA 313	nown CAS	al does not contain any chemical components with numbers that exceed the threshold (De Minimis) vels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know		
Water (Aqua)	7732-18-5	90 - 100 %
Phenoxyethanol	122-99-6	0.1 - 1 %
New Jersey Right To Know		
Water (Aqua)	7732-18-5	90 - 100 %

California Prop 65This product does not require a warning label under California
Proposition 65.

The components of this product are reported in the following inventories:			
TSCA	: On TSCA Inventory		
AICS	: On the inventory, or in compliance with the inventory		
AICS	. On the inventory, of in compliance with the inventory		
DSL	: All components of this product are on the Canadian DSL.		




Version 1.1	SDS Number: 400000000481	Revision Date: 02/14/2020
ENCS	: On the inventory, or in compliance	with the inventory
ISHL	: On the inventory, or in compliance	with the inventory
KECI	: On the inventory, or in compliance	with the inventory
PICCS	: On the inventory, or in compliance	with the inventory
IECSC	: On the inventory, or in compliance	with the inventory
NZIoC	: On the inventory, or in compliance	with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION



Further information

Revision Date

: 02/14/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.