

GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

SECTION 1. IDENTIFICATION

Product name : GOJO® Premium Foam Antibacterial Handwash

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.
 Address : One GOJO Plaza, Suite 500
 Akron, Ohio 44311
 Telephone : 1 (330) 255-6000

Emergency telephone number : CHEMTREC 1-800-424-9300
 CHEMTREC +1-703-527-3887: Outside USA & CANADA

NYSID #: D4073-0000-000 D4074-0000-000 Marketed by: Liberty Enterprises 43 Liberty Drive Amsterdam, NY 12010 www.LibertyCleanProducts.com (518)-954-3002
--

Recommended use of the chemical and restrictions on use

Recommended use : Antibacterial Soap
 Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION
GHS Classification

Flammable liquids : Category 3

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
 H318 Causes serious eye damage.

Precautionary statements : **Prevention:**
 P210 Keep away from heat/sparks/open flames/hot surfaces. -
 No smoking.
 P233 Keep container tightly closed.


GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

P240 Ground/bond container and receiving equipment.
 P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS
Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 1 - < 5
Ammonium Laureth Sulfate	67762-19-0	>= 1 - < 5
Ammonium Lauryl Sulfate	2235-54-3	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Chloroxlylenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.
Protection of first-aiders	: First Aid responders should pay attention to self-protection



GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|---|
| Suitable extinguishing media | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not use a solid water stream as it may scatter and spread fire.
Cool closed containers exposed to fire with water spray.
Flash back possible over considerable distance.
May form explosive mixtures in air.
Exposure to decomposition products may be a hazard to health.
Carbon oxides
Sulphur oxides
Nitrogen oxides (NOx) |
| Hazardous combustion products | : Carbon oxides
Sulphur oxides
Nitrogen oxides (NOx) |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers. |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Keep people away from and upwind of spill/leak.
Material can create slippery conditions. |
| Environmental precautions | : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
Keep in suitable, closed containers for disposal.
Clean contaminated floors and objects thoroughly while observing environmental regulations. |

GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : For personal protection see section 8.
Keep away from heat.
Use with local exhaust ventilation.
Avoid contact with eyes.
- Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.
Keep in properly labelled containers.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m ³	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene Glycol	57-55-6	TWA	10 mg/m ³	US WEEL

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection : No special protective equipment required.
- Remarks : No special protective equipment required.
- Eye protection : Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : No special measures necessary provided product is used correctly.
- Protective measures : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Ensure that eye flushing systems and safety showers are located close to the working place.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : clear, translucent, yellow-orange, amber
- Odour : like fruit
- Odour Threshold : No data available
- pH : 4.5 - 8.5, (20 °C)
- Melting point/freezing point : No data available

**GOJO® Premium Foam Antibacterial Handwash**

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

Initial boiling point and boiling range	: 83.00 °C
Flash point	: 59.89 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Does not sustain combustion.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.9962 g/cm ³
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity	
Viscosity, kinematic	: 10 - 20 mm ² /s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Eye contact
Skin contact

GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Components:**Ethyl Alcohol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Ammonium Laureth Sulfate:

Acute oral toxicity : LD50 (Rat): 4,100 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg
Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)
Remarks: Based on data from similar materials

Propylene Glycol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l, > 51091 ppm
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Chloroxylenol:

Acute oral toxicity : Acute toxicity estimate : 500 mg/kg
Method: Expert judgement
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute inhalation toxicity : LC50 (Rat): > 6.29 mg/l
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

**GOJO® Premium Foam Antibacterial Handwash**

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

Skin corrosion/irritation

Not classified based on available information.

Components:**Ethyl Alcohol:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Ammonium Laureth Sulfate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

Propylene Glycol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Chloroxylenol:

Result: Skin irritation

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Ethyl Alcohol:**

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Ammonium Laureth Sulfate:

Species: Rabbit

Result: Irreversible effects on the eye

Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Species: Rabbit

Result: Irreversible effects on the eye

Method: OECD Test Guideline 405

Propylene Glycol:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Chloroxylenol:

Result: Irreversible effects on the eye

**GOJO® Premium Foam Antibacterial Handwash**

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation.

Components:**Ethyl Alcohol:**

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse

Result: negative

Ammonium Laureth Sulfate:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

Remarks: Based on data from similar materials

Propylene Glycol:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Components:**Ethyl Alcohol:**Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negativeGenotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Test species: Mouse
Application Route: Ingestion
Result: negative**Ammonium Laureth Sulfate:**Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471


GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

Result: negative
Remarks: Based on data from similar materials

: Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Test species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 475
Result: negative
Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Test species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Propylene Glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Test species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Chloroxylenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Carcinogenicity

Not classified based on available information.

Components:
Ammonium Lauryl Sulfate:

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Result: negative
Remarks: Based on data from similar materials

Propylene Glycol:

Species: Rat


GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

Application Route: Ingestion
 Exposure time: 2 Years
 Result: negative

- IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
- NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:
Ethyl Alcohol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Mouse
 Application Route: Ingestion
 Method: OECD Test Guideline 416
 Result: negative

Ammonium Laureth Sulfate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Propylene Glycol:

Effects on fertility : Species: Mouse
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Ingestion
 Result: negative

**GOJO® Premium Foam Antibacterial Handwash**

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Ethyl Alcohol:**

Species: Rat

NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y

Ammonium Laureth Sulfate:

Species: Rat

NOAEL: > 225 mg/kg

Application Route: Ingestion

Exposure time: 90 d

Method: OECD Test Guideline 408

Remarks: Based on data from similar materials

Propylene Glycol:

Species: Rat

NOAEL: 1,700 mg/kg

Application Route: Ingestion

Exposure time: 2 y

Chloroxylenol:

Species: Rabbit

LOAEL: 180 mg/kg

Application Route: Skin contact

Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Ethyl Alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
aquatic invertebrates : Exposure time: 48 h

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201


GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l
Exposure time: 9 d
- Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l
Exposure time: 0.25 h
- Ammonium Laureth Sulfate:**
- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7.1 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- NOEC (Desmodesmus subspicatus (green algae)): 0.95 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 204
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.27 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials
- Toxicity to bacteria : EC10 (Pseudomonas putida): > 10 g/l
Exposure time: 16 h
Method: DIN 38 412 Part 8
Remarks: Based on data from similar materials
- Ammonium Lauryl Sulfate:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.7 mg/l
Exposure time: 48 h
Method: Tested according to Directive 92/69/EEC.
Remarks: Based on data from similar materials
- Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.
Remarks: Based on data from similar materials


GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

- EC10 (Desmodesmus subspicatus (green algae)): 5.4 mg/l
 Exposure time: 72 h
 Method: Directive 67/548/EEC, Annex V, C.3.
 Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia Dubia (water flea)): 0.88 mg/l
 Exposure time: 7 d
 Remarks: Based on data from similar materials
- Toxicity to bacteria : EC0 (Pseudomonas putida): 409 mg/l
 Exposure time: 16 h
 Method: DIN 38 412 Part 8
 Remarks: Based on data from similar materials

Propylene Glycol:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia Dubia (water flea)): 18,340 mg/l
 Exposure time: 48 h
- Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : Chronic Toxicity Value: 2,500 mg/l
 Exposure time: 30 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia Dubia (water flea)): 29,000 mg/l
 Exposure time: 7 d
- Toxicity to bacteria : NOEC (Pseudomonas putida): > 20,000 mg/l
 Exposure time: 18 h

Chloroxylonol:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.7 mg/l
 Exposure time: 48 h
- M-Factor (Acute aquatic toxicity) : 1

Persistence and degradability
Components:
Ethyl Alcohol:

- Biodegradability : Result: Readily biodegradable.
 Biodegradation: 84 %
 Exposure time: 20 d

Ammonium Laureth Sulfate:

- Biodegradability : Result: Readily biodegradable.
 Biodegradation: 100 %
 Exposure time: 28 d
 Method: Directive 67/548/EEC Annex V, C.4.C.


GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

Remarks: Based on data from similar materials

Ammonium Lauryl Sulfate:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 75.7 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301B
 Remarks: Based on data from similar materials

Propylene Glycol:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 98.3 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301F

Bioaccumulative potential**Components:****Ethyl Alcohol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

Ammonium Laureth Sulfate:

Partition coefficient: n-octanol/water : log Pow: 0.3

Ammonium Lauryl Sulfate:

Partition coefficient: n-octanol/water : log Pow: 0.8 - 0.91

Propylene Glycol:

Partition coefficient: n-octanol/water : log Pow: -1.07

Chloroxylenol:

Partition coefficient: n-octanol/water : log Pow: 3.27

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS
Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
 Contaminated packaging : Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.

**GOJO® Premium Foam Antibacterial Handwash**

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

SECTION 14. TRANSPORT INFORMATION**International Regulation****IATA-DGR**

UN/ID No. : UN 1170
Proper shipping name : Ethanol solution
Class : 3
Packing group : III
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 1170
Proper shipping name : ETHANOL SOLUTION
Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : no

National Regulations**49 CFR**

UN/ID/NA number : UN 1170
Proper shipping name : Ethanol solutions
Class : 3
Packing group : III
ERG Code : 127
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act



GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204

Revision Date: 10/17/2019

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	4.405 %
Propylene Glycol	57-55-6	2 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Ethyl Alcohol	64-17-5	1 - 5 %
---------------	---------	---------

Pennsylvania Right To Know

Water (Aqua)	7732-18-5	70 - 90 %
Ethyl Alcohol	64-17-5	1 - 5 %
Ammonium Laureth Sulfate	67762-19-0	1 - 5 %
Ammonium Lauryl Sulfate	2235-54-3	1 - 5 %
Propylene Glycol	57-55-6	1 - 5 %
Isopropyl Alcohol	67-63-0	0.1 - 1 %
Ammonium Sulfate	7783-20-2	0.1 - 1 %

New Jersey Right To Know

Water (Aqua)	7732-18-5	70 - 90 %
Ethyl Alcohol	64-17-5	1 - 5 %
Ammonium Laureth Sulfate	67762-19-0	1 - 5 %
Ammonium Lauryl Sulfate	2235-54-3	1 - 5 %
Propylene Glycol	57-55-6	1 - 5 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
AICS	: On the inventory, or in compliance with the inventory
DSL	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory

GOJO® Premium Foam Antibacterial Handwash

Version 1.2

SDS Number: 400000000204


Revision Date: 10/17/2019

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION
Further information
NFPA:

HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 10/17/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.